



### ***Hemimysis anomala* Bibliography**

Compiled by Diane J. Oleson, National Aquatic Nuisance Species Clearinghouse  
23 January 2007

Arbaciauskas K. 2002. Ponto-Caspian amphipods and mysids in the inland waters of Lithuania: history of introduction, current distribution and relations with native Malacostracans. In: Leppakoski E., Gollasch S. and Olenin S.(eds), *Invasive Aquatic species of Europe - distribution impacts and management*. Kluwer Academic Publishers, Dordrecht, Boston, London: 104-115.

Ariani AP, Wittmann KJ, Franco E. 1993. A Comparative Study of Static Bodies in Mysid Crustaceans: Evolutionary Implications of Crystallographic Characteristics. *The Biological Bulletin* 185(3):393-404. Online ordering [Accessed 1/2007] : <http://www.biolbull.org/cgi/content/abstract/185/3/393>

Bacescu M. 1969. Order Mysidacea. In: Opredelitel fauny Chernogo i Azovskogo morey (Key to Black Sea and Sea of Azov fauna). *Nauk. Dumka, Kiyev*: 363-381 (in Russian).

Bacescu M. 1954. Crustacean Mysidacea. *Fauna Republicii Populare Romini* 4(3):1-126

Bij de Vaate A, Jazdzewski AK, Ketelaars HAM, Gollasch S, Van der Velde G. 2002. Geographical patterns in range extension of Ponto-Caspian macroinvertebrate species in Europe. *Can J Fish Aquat Sci* 59(7):1159-1174. Online ordering [Accessed 1/2007] : [http://pubs.nrc-cnrc.gc.ca/cgi-bin/rp/rp2\\_abst\\_e?cjfas\\_f02-098\\_59\\_ns\\_nf\\_cjfas](http://pubs.nrc-cnrc.gc.ca/cgi-bin/rp/rp2_abst_e?cjfas_f02-098_59_ns_nf_cjfas)

Birshtein YA, Vinogradov LG, Kondakov NN, Astakhova MS, Romanova NN (Eds.). 1968. *Atlas of Invertebrates of the Caspian Sea*. Pishchevaya Promyshlennost, Moscow: 413pp. (in Russian).

Bollens SM, Cordell JR, Avent S, Hooff R. 2004. Zooplankton invasions: a brief review, plus two case studies from the northeast Pacific Ocean. *Hydrobiologia* 480(1-3):87-110. Online ordering [Accessed 1/2007]: <http://www.springerlink.com/content/p231517h73106535/>

Borcherding J, Murawski S, Arndt H. 2006. Population ecology, vertical migration and feeding of the Ponto-Caspian invader *Hemimysis anomala* in a gravel-pit lake connected to the River Rhine. *Freshwater Biology* 51(12):2376. Online ordering [Accessed 1/2007]: <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1365-2427.2006.01666.x>

Borodich ND, Havlena FK. 1973. The biology of mysids acclimatized in the reservoirs of the Volga River. *Hydrobiologia* 42:527-539.

Devin S, Bollache L, Noël P-Y, Beise J-N. 2005. Patterns of Biological Invasions in French Freshwater Systems by Non-Indigenous Macroinvertebrates. *Hydrobiologia* 551(1):137-146. Online ordering [Accessed 1/2007]: <http://www.springerlink.com/content/7p53vv0un5410781/>

Dumont S. 2006. A new invasive species in the north-east of France, *Hemimysis anomala* G.O. Sars, 1907 (Mysidacea). *Crustaceana* 79(10):1269-1274. Online ordering [Accessed 1/2007]: <http://www.springerlink.com/content/rr7180r11764023p/>

Eggers TO, Martens A, Grabow K. 1999. *Hemimysis anomala* Sars in the branch-canal Saltzgitter, northern Germany (Crustacea: Mysidacea). *Lauterbornia* 35:43-47. (In German)

Faasse M. 1998. The Pontocaspian mysid *Hemimysis anomala* Sars, 1907, new to the fauna of the Netherlands. *Bull Zool Mus Univ Amsterdam* 16(10):73-76. Online [Accessed 1/2007] : [http://www.naturalsciences.be/institute/associations/rbzs\\_website/bjz/back/pdf/BJZ%20130\(2\)/130\\_2\\_157\\_158html/Volume%20130\(2\),%20pp.%20157-158s.html](http://www.naturalsciences.be/institute/associations/rbzs_website/bjz/back/pdf/BJZ%20130(2)/130_2_157_158html/Volume%20130(2),%20pp.%20157-158s.html)

Gasiunas I. 1964. Acclimatisation of forage crustaceans into the Kaunas waterpower plant reservoir and possibility of their migration into other waters of Lithuania [Aklimatizacija kormovykh rakoobraznykh v vodokhranilische Kaunasskoj GES i vozmozhnost ikh migracii v drugije vodojemy Litvy. *Trudy Ak.Nauk Lit.SSR*, Serija B, 1(30) (in Russian)

Gasjumas II, 1968. A mysid's *Hemimysis anomala* Sars acclimatization in the water reservoir of the Kaunas HEPS. *Trudy Academii Nauk Litovskoj SSR* (B) 3:71-73.

Goethals PLM (ed). 2002. Data collection concerning macrobenthos. COST626 European Aquatic Modelling Network. Online [Accessed 1/2007] at: [http://folk.ntnu.no/borsanyi/eamn-web/documents/soa-report/report-parts/WG1\\_Macrobenthos\\_data\\_collect\\_overview.pdf](http://folk.ntnu.no/borsanyi/eamn-web/documents/soa-report/report-parts/WG1_Macrobenthos_data_collect_overview.pdf)

Gorokhova E, Aladin N, Dumont HJ. 2000. Further expansion of the genus *Cercopagis* (Crustacea, Branchiopoda, Onychopoda) in the Baltic Sea, with notes on the taxa present and their ecology. *Hydrobiologia*, 429(1-3):207-218. Online abstract [Accessed 1/2007]: <http://www.springerlink.com/content/t73482j0866w18qu/>

Holdich D, Gallagher S, Rippon L, Harding P. 2006. The invasive Ponto-Caspian mysid, *Hemimysis anomala*, reaches UK. *Aquatic Invasions* 1(1):4-6. Online at [Accessed 1/2007] : [http://www.aquaticinvasions.ru/2006/AI\\_2006\\_1\\_1\\_Holdich\\_et.al.pdf](http://www.aquaticinvasions.ru/2006/AI_2006_1_1_Holdich_et.al.pdf)

Janas U, Wysocki P. 2005. *Hemimysis anomala* G. O. Sars, 1907 (Crustacea, Mysidacea) - first record in the Gulf of Gdansk. *Oceanologia*, 47(3): 405-408.

Jazdzewski K. 1980. Range extensions of some gammaridean species in European inland waters caused by human activity. *Crustaceana* 6(Suppl):84-107.

Jazdzewski K, Konopacka A, Grabowski M. 2005. Native and alien malacostracan crustacea along the Polish Baltic Sea coast in the twentieth century. *Oceanological and Hydrobiological Studies* 34 Suppl 1:175-193.

Josens G, Bij de Vaate A, Usseglio-Polatera P, Cammaerts R, Chérot F, Grisez F, Verboonen P, Vanden Bossche J-P. 2005. Native and exotic Amphipoda and other Peracarida in the River Meuse: new assemblages emerge from a fast changing fauna. *Hydrobiologia* 542(1):203-220. Online abstract [Accessed 1/2007] : <http://www.springerlink.com/content/jt21434j6n54r1hq/>

Kelleher BG, van der Velde G, Wittmann KJ, Faasse AM, bij de Vaate A. 1999. Current status of the freshwater Mysidae in the Netherlands with records of *Limnomysis benedeni* Czerniavasky, 1882, a Ponto-Caspic species in the Dutch Lower Rheine branches. *Bull zool Mus Univ Amsterdam* 16:89:94.

Ketelaars HAM., Lambregts-van de Clundert FE, Carpentier CJ, Wagenvoort AJ, Hoogenboezem W. 1999. Ecological effects of the mass occurrence of the Ponto-Caspian invader, *Hemimysis anomala* G.O.Sars, 1907 (Crustacea: Mysidacea), in a freshwater storage reservoir in the Netherlands, with notes on its autecology and new records. *Hydrobiologia*, 394: 233-248. Online abstract [Accessed 1/2007] : <http://cat.inist.fr/?aModele=afficheN&cpsidt=1921351>

Komarova TI. 1991. Mysidacea. *Fauna Ukrainskoy* 26(7):1-104. (Akademis Nauk Ukrainskoy, Kiev).

Lejeusne C, Chevaldonne P. 2005. Population structure and life history of *Hemimysis margalefi* (Crustacea: Mysidacea), a ‘thermophilic’ cave-dwelling species benefitting from the warming of the NW Mediterranean. *Mar Ecol Prog Ser* 287:189–199.

Leppäkoski E, Olenin S. 2000. Non-native Species and Rates of Spread: Lessons from the Brackish Baltic Sea. *Biological Invasions* 2(2):151-163. Online abstract [Accessed 1/2007]: <http://www.springerlink.com/content/j761u740m5701582/>

Leppäkoski E, Gollasch S, Gruszka P, Ojaveer H, Olenin S, Panov V. 2002. The Baltic—a sea of invaders. *Can J Fish Aquat Sci* 59(7):1175-1188. Online abstract [Accessed 1/2007]: [http://pubs.nrc-cnrc.gc.ca/cgi-bin/rp/rp2\\_abst\\_e?cjfas\\_f02-089\\_59\\_ns\\_nf\\_cjfas](http://pubs.nrc-cnrc.gc.ca/cgi-bin/rp/rp2_abst_e?cjfas_f02-089_59_ns_nf_cjfas)

Leppäkoski E, Olenin S. 2001. The Meltdown of Biogeographical Peculiarities of the Baltic Sea: The Interaction of Natural and Man-made Processes. *AMBIO: A Journal of the Human Environment* 30(4): 202–209. Online abstract [Accessed 1/2007] : [http://www.bioone.org/perlserv/?request=get-abstract&doi=10.1639%2F0044-7447\(2001\)030%5B0202%3ATMOBPO%5D2.0.CO%3B2](http://www.bioone.org/perlserv/?request=get-abstract&doi=10.1639%2F0044-7447(2001)030%5B0202%3ATMOBPO%5D2.0.CO%3B2)

Lindstrom M. 2000. Eye function of Mysidacea (Crustacea) in the northern Baltic Sea. *J Exp Mar Bio Ecol* 246(1):85-101. Online abstract [Accessed 1/2007]: [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=10699220&dopt=Citation](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10699220&dopt=Citation)

MacIsaac HJ, Grigorovich Igor A, Ricciardi A. 2001. Reassessment of species invasions concepts: the Great Lakes basin as a model. *Biological Invasions* 3(4):405-416.

- Mauchline J. 1980. The biology of Mysids. *Adv Mar Biology* 18:1-369.
- Mordukhai-Boltovskoi FD. 1979. Composition an distribution of Caspian fauna in the light of modern data. *Int Rev ges Hydrobiol* 64:1-38.
- Odenwald C, Krug K, Grabow K, Martens A. 2005. A trap for recording *Hemimysis anomala* (Crustacea: Mysidacea). *Lauterbornia* 55:97-105. (in German)
- Ojaveer H, Leppakowski E, Olenin S, Ricciardi A. 2002. Ecological impact of Ponto-Caspian invaders in the Baltic Sea, European inland waters and the Great Lakes: an inter-ecosystem comparison. Invasive Aquatic Species of Europe: Distribution, Impacts and Management. pp 412-425. Online abstract [Accessed 1/2007]:  
<http://md1.csa.com/partners/viewrecord.php?requester=gs&collection=ENV&recid=6410386&q=&uid=789839612&setcookie=yes>
- Pienimaki M, Leppakoski E. 2004. Invasion Pressure on the Finnish Lake District: Invasion Corridors and Barriers. *Biological Invasions*. 6(3):331-346.
- Pothoven SA, Grigorovich IA, Fahnenstiel GL, Balcer MD. 2007. Introduction of the Ponto-Caspian bloody-red mysid *Hemimysis anomala* into the Lake Michigan basin. *J Great Lakes Res* March 2007 (in press).
- Remerie T, Bulckaen B, Calderon J, Deprez T, Mees J, Vanfleteren J, Vanreusel A, Vierstraete A, Vincx M, Wittmann KJ, Wooldridge T. 2004. Phylogenetic relationships within the Mysidae (Crustacea, Peracarida, Mysida) based on nuclear 18S ribosomal RNA sequences. *Mol Phylogenet Evol*. 32(3):770-7. Online Science Direct [Accessed 1/2007] :  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=15288054&dopt=Citation](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15288054&dopt=Citation)
- Rabitsch W, Essl F. 2006. Biological invasions in Austria: patterns and case studies. *Biological Invasions* 8(2):295-308. Online abstract [Accessed 1/2007]:  
<http://www.springerlink.com/content/7h8046x576g87711/>
- Resnichenko OG. 1959. On the ecology and morphology of the mysid genus *Hemimysis* (Crustacea: Malcostraca). *Trudy Vsesojuz Gydrobiol Obsch* 9:320-323.
- Ricciardi A, Rasmussen JB. 1998. Predicting the identity and impact of future biological invaders: a priority for aquatic resource management. *Can J Fish Aquat Sci* 55(7):1759-1765. Online abstract: [http://pubs.nrc-cnrc.gc.ca/cgi-bin/rp/rp2\\_abst\\_f?cjfas\\_f98-066\\_55\\_ns\\_nf\\_cjfas](http://pubs.nrc-cnrc.gc.ca/cgi-bin/rp/rp2_abst_f?cjfas_f98-066_55_ns_nf_cjfas)
- Salemaa H, Hietalahti V. 1993. *Hemimysis anomala* G.O. Sars (Crustacea: Mysidacea) - immigration of a Pontocaspian mysid into the Baltic Sea. *Ann Zool Fennica*, 30: 271-276. Online abstract [Accessed 1/2007]: <http://cat.inist.fr/?aModele=afficheN&cpsidt=3858551>

Schleuter A, Geissen HP, Wittmann KJ. 1998. *Hemimysis anomala* G.O. Sars, 1907 (Crustacea: Mysidacea) eine Euryhaline pontokaspische Schwebgarnele in Rheine und Neckar. Erstnachweis für Deutschland. *Lauterbornia* 32:67-71. (in German)

van Riel MC, van der Velde G, Rajagopal S, Marguillier S, Dehairs F, de Vaate AB. 2006. Trophic relationships in the Rhine food web during invasion and after establishment of the Ponto-Caspian invader *Dikerogammarus villosus*. *Hydrobiologia* 565:39-58. Online abstract [Accessed 1/2007] : <http://www.springerlink.com/content/a052408727x3006q/>

Velde G, Nagelkerken I, Rajagopal S, de Vaate AB. 2002. Invasions by alien species in inland freshwater bodies in western Europe: the Rhine delta. In: Leppakoski E, Gollasch S and Olenin S(eds), Invasive Aquatic species of Europe distribution impacts and management. Kluwer Academic Publishers, Dordrecht, Boston, London: 360-372.

Vanden Bossche J-P, Usseglio-Polatera P. 2005. Characterization, Ecological Status and Type-specific Reference Conditions of Surface Water Bodies in Wallonia (Belgium) using Biocenotic Metrics based on Benthic Invertebrate Communities. *Hydrobiologia* 551(1):253-271. Online abstract [Accessed 1/2007] : <http://www.springerlink.com/content/f223ml2453601057/>

Verslycke T, Janssen C, Lock K, Mees J. 2000. First occurrence of the Pontocaspian invader *Hemimysis anomala* (Sars, 1907) in Belgium (Crustacea: Mysidacea). *Belg J Zool* 130(2):157-158.

Wittmann KJ. 2007. Continued massive invasion of Mysidae in the Rhine and Danube river systems, with first records of the order Mysidacea (Crustacea: Malacostraca: Peracarida) for Switzerland. *Revue suisse de Zoologie* 114(1). (In press, March 2007).

Zaiko A, Olenin S, Daunys D, Nalepa T. 2006. Vulnerability of benthic habitats to aquatic invasive species. *Biological Invasions*. DOI10.1007/s10530-006-9070-0

Zhuravel PA. 1960. The mysid *Hemimysis anomala* Sars (Crustacea: Malacostraca) in the Dnieper water reservoir and its feeding value for fish. *Zool Zh* 39:1571-1733. (In Russian)